



## Key Features

- Ideal for access control and POS installations
- Eca Euro Class LSZH Cable
- DoP and Test Class printed on Cable
- Temperature Rating -20 °C to 70 °C
- Voltage Rating 300 V Max
- Single Pair with overall Braided Shield
- CIBSE TM65 Embodied Carbon: 0.395 kg CO2e

## Overview

Aura Multicore cables manufactured and designed for sound broadcast, audio and instrumentation offering an alternative Belden style cable, with tinned copper conductors. A triple pair cable with 22 AWG size conductors, Drain Wire and foil shield per pair in an LSZH Grey Sheath rated as Euroclass Eca.

## Product Specifications


Feature	Values
Diameter of conductor	TC 0.25 ±0.008 x 7
AWG size	22
Core identification	Red/Black, Green/Black, White/Black
Conductor screening	Foil
Outer sheath material	LSZH
Outer sheath colour	Grey
Flame retardant according to IEC 60332-1-2	yes
Halogen free (acc. IEC 60754-2)	yes
Reaction-to-fire class according to EN 13501-6	Eca
Outer diameter approx.	6.90mm ± 0.2
Min. permitted bending radius, stationary application/permanent installation	75 mm
Operating Temperature Range	-20...70 °C

Feature	Values
Category	Multipair Individually Screened

## Additional specifications

Features	Values
Insulation thickness	0.84mm
Drain Wire	TC0.25 ±0.008 x 7 per pair
Max Conductor Dc Resistance	< 54.2 MΩ/KM @ 20°C
Min Insulation DC Resistance	> 200 MΩ/KM @ 20°C
Number of Pairs	3
Alternative to Belden	8777
Conductor to Conductor Capacitance	88pF/m ±20
Conductor to Shield Capacitance	180pF/m ±25
Voltage Rating	300 Max

**Product drawing**



**Standards**

Applicable standard	Detail
RoHS-II/-III (2011/65/EU & 2015/863): 2023	Our products, demonstrate full adherence to the regulatory stipulations of the EU Directive 2011/65/EU (RoHS-II) and its corresponding delegated directive 2015/863 (RoHS-III)
WFD	Compliant to Waste Framework Directive
SCIP	Compliant - Does Not Contain Substances of Concern in Products

## Partcodes

Partcodes	Description
2203PIFPP	aura 22AWG 3 Pair Belden Alternative Multicore Cable LSZH Eca Type 8777 Per Metre Grey