



Key Features

- High quality OFC conductor
- Fully Shielded cable
- Gold plated contacts
- TPE Outer sheath
- Plastic Free Packaging
- 10 Year Warranty

Overview

The aura range of USB 2.0 A to B cables are a high-quality product, made using copper conductors with matching shielding ensuring good conductor abilities and good protection against outside interference. These USB 2.0 Leads feature connectors robustly terminated onto the cable with TPE insulation providing greater flexibility.

Product Specifications

Feature	Values
Type of connector connection 1	USB-A
Connection type connection 1	Plug (Male)
Type of connector connection 2	USB-B
Connection type connection 2	Plug (Male)
Length	0.25 m

Additional specifications

Features	Values
Outer Sheath Material	TPE
Outer Sheath Diameter	3.5mm
Plug Head Type	Plastic
Standard	USB 2.0

Partcodes

Partcodes	Description
AR-07-001	aura USB2.0 Cable A to A Nickel Plated Male-Male Black 0.2m
AR-07-002	aura USB2.0 Cable A to A Nickel Plated Male-Male Black 1m

AR-07-003	aura USB2.0 Cable A to A Nickel Plated Male-Male Black 2m
AR-07-004	aura USB2.0 Cable A to A Nickel Plated Male-Male Black 3m
AR-07-005	aura USB2.0 Cable A to A Nickel Plated Male-Male Black 5m
AR-07-006	aura USB2.0 Cable A to B Nickel Plated Male-Male Black 0.2m
AR-07-008	aura USB2.0 Cable A to B Nickel Plated Male-Male Black 1m
AR-07-009	aura USB2.0 Cable A to B Nickel Plated Male-Male Black 2m
AR-07-010	aura USB2.0 Cable A to B Nickel Plated Male-Male Black 3m
AR-07-011	aura USB2.0 Cable A to B Nickel Plated Male-Male Black 5m